



TITAN 436-RGBW the high-power LED floodlights series, is adopting the efficient optical design, equipped with the industrial structure design, enjoying the advantages of good heat dissipation, stable performance, both with the excellent color mixing effect, low power consumption, high light efficiency, high illumination. An ideal LED fixture for the large-scale outdoor landscape lighting projects.

SOURCE Light source: 36x15 RGBW
LED life expectancy: 50,000 Hrs
Peak Intensity: 276750 cd (°14)

OPTICAL SYSTEM Optics: °25, °14
Light output: 3,000 Lux @10m @ °14



CONTROL & PROGRAMMING Control Protocols: DMX,RDM
DMX control channels: %100-0 dimming
Controllable sections: 4
Color mixing: RGBW

ELECTRICAL Input Voltage: AC240-100V, 60/50Hz
Max Power: 450 W
Power Factor: > 0.9

CONNECTIONS Main connection: 3m cable(input only)
Data connection: 3m cable (input + output)

PHYSICAL Dimensions: 824x252x381mm
Net Weight: 31.3 kg
Color: Off White (Gray, Black Optional)
Housing: Die-cast aluminum
IP Rating: 66
Operation temperature: - °40C~°45C (operating) /
- °40C~°45C

Dimensions



Luminous Diagram

